


**DIN 963 (04/1985) \***

**EN 2009 (09/1996) \*\***

**COUNTERSUNK HEAD SCREW SLOTTED**  
**METAALSCROEF VERZONKEN KOP MET ZAAGGLEUF**  
**VIS A METAUX TÊTE FRAISÉE FENDUE**  
**SENKSCHRAUBE MIT SCHLITZ**



<b>material</b> : Steel class 4.8	<b>materiaal</b> : Staal klasse 4.8	<b>matière</b> : Acier classe 4.8	<b>Werkstoff</b> : Stahl Klasse 4.8
<b>type</b> : Standard	<b>type</b> : Standaard	<b>type</b> : Standard	<b>Typ</b> : Normalmaß
<b>surface</b> : zinc plated Cr3+	<b>oppervlak</b> : verzinkt Cr3+	<b>surface</b> : zingué Cr3+	<b>Oberfläche</b> : verzinkt Cr3+

\* Cancelled since 09/1996 \*\* Not identical  
 \* Vervallen vanaf 09/1996 \*\* Niet uitwisselbaar  
 \* Retiré à partir de 09/1996 \*\* Pas identique  
 \* Veraltet ab 09/1996 \*\* Nicht austauschbar


**Technical properties - Technische gegevens - Données techniques - Technische Daten**

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14	4	2.31	2.1
M 10	40	18	5	2.81	2.6

M x l	ART. CODE	EAN	BOX
M 3 x 6	000963001003000063	5410439065665	200
M 3 x 8	000963001003000083	5410439065696	200
M 3 x 10	000963001003000103	5410439065733	200
M 3 x 12	000963001003000123	5410439065764	200
M 3 x 16	000963001003000163	5410439065795	200
M 3 x 20	000963001003000203	5410439065832	200
M 3 x 25	000963001003000253	5410439065870	200
M 3 x 30	000963001003000303	5410439065900	200
M 3 x 35	000963001003000353	5410439065931	200
M 3 x 40	000963001003000403	5410439065955	200
M 3 x 45	000963001003000453	5410439145602	200
M 3 x 50	000963001003000503	5410439065979	200
M 3 x 60	000963001003000603	5410439065986	200
M 4 x 8	000963001004000083	5410439066037	200
M 4 x 10	000963001004000103	5410439066075	200
M 4 x 12	000963001004000123	5410439066105	200
M 4 x 16	000963001004000163	5410439066136	200
M 4 x 20	000963001004000203	5410439066174	200
M 4 x 25	000963001004000253	5410439066211	200
M 4 x 30	000963001004000303	5410439066259	200
M 4 x 35	000963001004000353	5410439066280	200
M 4 x 40	000963001004000403	5410439066310	200
M 4 x 50	000963001004000503	5410439066341	200
M 4 x 60	000963001004000603	5410439066365	200

M x l	ART. CODE	EAN	BOX
M 5 x 10	000963001005000103	5410439066440	200
M 5 x 12	000963001005000123	5410439066471	200
M 5 x 16	000963001005000163	5410439066501	200
M 5 x 20	000963001005000203	5410439066549	200
M 5 x 25	000963001005000253	5410439066587	200
M 5 x 30	000963001005000303	5410439066624	200
M 5 x 35	000963001005000353	5410439066648	200
M 5 x 40	000963001005000403	5410439066686	200
M 5 x 45	000963001005000453	5410439104319	200
M 5 x 50	000963001005000503	5410439066716	200
M 5 x 60	000963001005000603	5410439066730	200
M 5 x 80	000963001005000803	5410439217460	200
M 6 x 10	000963001006000103	5410439066778	200
M 6 x 12	000963001006000123	5410439066808	200
M 6 x 16	000963001006000163	5410439066846	200
M 6 x 20	000963001006000203	5410439066884	200
M 6 x 25	000963001006000253	5410439066921	200
M 6 x 30	000963001006000303	5410439066969	200
M 6 x 35	000963001006000353	5410439066990	200
M 6 x 40	000963001006000403	5410439067034	200
M 6 x 45	000963001006000453	5410439107877	200
M 6 x 50	000963001006000503	5410439067072	200
M 6 x 60	000963001006000603	5410439067096	200
M 6 x 70	000963001006000703	5410439217477	200

4.8



<b>material</b> : Steel class 4.8 <b>type</b> : Standard <b>surface</b> : zinc plated Cr3+	<b>materiaal</b> : Staal klasse 4.8 <b>type</b> : Standaard <b>oppervlak</b> : verzinkt Cr3+	<b>matière</b> : Acier classe 4.8 <b>type</b> : Standard <b>surface</b> : zingué Cr3+	<b>Werkstoff</b> : Stahl Klasse 4.8 <b>Typ</b> : Normalmaß <b>Oberfläche</b> : verzinkt Cr3+
--	--	---	--

M x l	ART. CODE	EAN	BOX
M 6 x 80	000963001006000803	5410439217484	200
M 8 x 16	000963001008000163	5410439067119	200
M 8 x 20	000963001008000203	5410439067140	200
M 8 x 25	000963001008000253	5410439067171	200
M 8 x 30	000963001008000303	5410439067201	200


M x l	ART. CODE	EAN	BOX
M 8 x 35	000963001008000353	5410439067225	200
M 8 x 40	000963001008000403	5410439089388	200
M 8 x 50	000963001008000503	5410439067270	200
M 8 x 60	000963001008000603	5410439067294	100
M 10 x 30	000963001010000303	5410439067348	100

C

**DIN 963 (04/1985) \***

**EN 2009 (09/1996) \*\***

**COUNTERSUNK HEAD SCREW SLOTTED**  
**METAALSCHROEF VERZONKEN KOP MET ZAAGGLEUF**  
**VIS A METAUX TÊTE FRAISÉE FENDUE**  
**SENKSCHRAUBE MIT SCHLITZ**



<b>material</b> : Nylon PA6	<b>materiaal</b> : Nylon PA6	<b>matière</b> : Nylon PA6	<b>Werkstoff</b> : Nylon PA6
<b>type</b> : Standard	<b>type</b> : Standaard	<b>type</b> : Standard	<b>Typ</b> : Normalmaß
<b>surface</b> : natural colour	<b>oppervlak</b> : natuurkleur	<b>surface</b> : couleur naturel	<b>Oberfläche</b> : naturel

\* Cancelled since 09/1996 \*\* Not identical  
 \* Vervallen vanaf 09/1996 \*\* Niet uitwisselbaar  
 \* Retiré à partir de 09/1996 \*\* Pas identique  
 \* Veraltet ab 09/1996 \*\* Nicht austauschbar

**Technical properties - Technische gegevens - Données techniques - Technische Daten**

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6
M 8	34	14	4	2.31	2.1


M x l	ART. CODE	EAN	BOX
M 3 x 10	000963N00003000105	5410439065726	200
M 3 x 16	000963N00003000165	5410439153515	200
M 3 x 20	000963N00003000205	5410439065825	200
M 4 x 10	000963N00004000105	5410439066068	200
M 4 x 12	000963N00004000125	5410439153522	200
M 4 x 16	000963N00004000165	5410439153539	200
M 4 x 20	000963N00004000205	5410439066167	200
M 4 x 25	000963N00004000255	5410439066204	200
M 4 x 30	000963N00004000305	5410439066242	200
M 5 x 10	000963N00005000105	5410439066433	200
M 5 x 16	000963N00005000165	5410439153546	200

M x l	ART. CODE	EAN	BOX
M 5 x 20	000963N00005000205	5410439066532	200
M 5 x 30	000963N00005000305	5410439066617	200
M 6 x 16	000963N00006000165	5410439066839	200
M 6 x 20	000963N00006000205	5410439066877	200
M 6 x 25	000963N00006000255	5410439066914	200
M 6 x 30	000963N00006000305	5410439066952	200
M 6 x 40	000963N00006000405	5410439067027	200
M 8 x 20	000963N00008000205	5410439067133	200
M 8 x 30	000963N00008000305	5410439067195	200
M 8 x 40	000963N00008000405	5410439067249	200

DIN 963 (04/1985) \*

EN 2009 (09/1996) \*\*

COUNTERSUNK HEAD SCREW SLOTTED  
 METAALSCROEF VERZONKEN KOP MET ZAAGGLEUF  
 VIS A METAUX TÊTE FRAISÉE FENDUE  
 SENKSCHRAUBE MIT SCHLITZ



<b>material</b> : Stainless steel A2	<b>materiaal</b> : Roestvast staal A2	<b>matière</b> : inox A2	<b>Werkstoff</b> : Edeldstahl A2
<b>type</b> : Standard	<b>type</b> : Standaard	<b>type</b> : Standard	<b>Typ</b> : Normalmaß
<b>surface</b> : plain	<b>oppervlak</b> : blank	<b>surface</b> : brut	<b>Oberfläche</b> : roh

\* Cancelled since 09/1996 \*\* Not identical  
 \* Vervallen vanaf 09/1996 \*\* Niet uitwisselbaar  
 \* Retiré à partir de 09/1996 \*\* Pas identique  
 \* Veraltet ab 09/1996 \*\* Nicht austauschbar

Technical properties - Technische gegevens - Données techniques - Technische Daten

M	b1	dk max.	k max.	n max.	t max.
M 3	19	5.6	1.65	1	0.85
M 4	22	7.5	2.2	1.2	1.1
M 5	25	9.2	2.5	1.51	1.3
M 6	28	11	3	1.91	1.6

M x l	ART. CODE	EAN	BOX
M 3 x 6	000963A00003000063	5410439065641	200
M 3 x 8	000963A00003000083	5410439065672	200
M 3 x 10	000963A00003000103	5410439065702	200
M 3 x 12	000963A00003000123	5410439065740	200
M 3 x 16	000963A00003000163	5410439065771	200
M 3 x 20	000963A00003000203	5410439065801	200
M 3 x 25	000963A00003000253	5410439065849	200
M 3 x 30	000963A00003000303	5410439065887	200
M 3 x 35	000963A00003000353	5410439065917	200
M 3 x 40	000963A00003000403	5410439065948	200
M 3 x 45	000963A00003000453	5410439140034	500
M 4 x 6	000963A00004000063	5410439065993	200
M 4 x 8	000963A00004000083	5410439066013	200
M 4 x 10	000963A00004000103	5410439066044	200
M 4 x 12	000963A00004000123	5410439066082	200
M 4 x 16	000963A00004000163	5410439066112	200
M 4 x 20	000963A00004000203	5410439066143	200
M 4 x 25	000963A00004000253	5410439066181	200
M 4 x 30	000963A00004000303	5410439066228	200
M 4 x 35	000963A00004000353	5410439066266	200
M 4 x 40	000963A00004000403	5410439066297	200
M 4 x 50	000963A00004000503	5410439066327	200
M 5 x 6	000963A00005000063	5410439066372	200
M 5 x 8	000963A00005000083	5410439066389	200
M 5 x 10	000963A00005000103	5410439066419	200

M x l	ART. CODE	EAN	BOX
M 5 x 12	000963A00005000123	5410439066457	200
M 5 x 16	000963A00005000163	5410439066488	200
M 5 x 20	000963A00005000203	5410439066518	200
M 5 x 25	000963A00005000253	5410439066556	200
M 5 x 30	000963A00005000303	5410439066594	200
M 5 x 35	000963A00005000353	5410439066631	200
M 5 x 40	000963A00005000403	5410439066655	200
M 5 x 45	000963A00005000453	5410439104302	200
M 5 x 50	000963A00005000503	5410439066693	200
M 5 x 60	000963A00005000603	5410439066723	200
M 5 x 70	000963A00005000703	5410439100465	200
M 5 x 80	000963A00005000803	5410439100472	200
M 6 x 10	000963A00006000103	5410439066747	200
M 6 x 12	000963A00006000123	5410439066785	200
M 6 x 16	000963A00006000163	5410439066815	200
M 6 x 20	000963A00006000203	5410439066853	200
M 6 x 25	000963A00006000253	5410439066891	200
M 6 x 30	000963A00006000303	5410439066938	200
M 6 x 35	000963A00006000353	5410439066976	200
M 6 x 40	000963A00006000403	5410439067003	200
M 6 x 45	000963A00006000453	5410439100489	200
M 6 x 50	000963A00006000503	5410439067041	200
M 6 x 60	000963A00006000603	5410439067089	200
M 6 x 70	000963A00006000703	5410439100496	200
M 6 x 80	000963A00006000803	5410439343008	200